Document type	Source type	ISSN	DOI	Publisher
Article	Journal	22133437	10.1016/j.jece.2021.105676	Elsevier Ltd

Original language
English

View less

Journal of Environmental Chemical Engineering • Volume 9, Issue 4 • August 2021 • Article number 105676

Development of highly porous activated carbon from Jacaranda mimosifolia seed pods for remarkable removal of aqueous-phase ketoprofen

Georgin J.[a], De O. Salomon Y.L.[b], Franco D.S.P.[c], Netto M.S.[c], Piccilli D.G.A.[b], Perondi D.[d], Silva L.F.O.[e, f] ✉, Foletto E.L.[c], Dotto G.L.[c] ✉

Save all to author list

[a] Graduate Program in Civil Engineering, Federal University of Santa Maria, Santa Maria, 97105-900, Brazil

[b] Graduate Program in Environmental Engineering, Federal University of Santa Maria, Santa Maria, 97105-900, Brazil

[c] Graduate Program in Chemical Engineering, Federal University of Santa Maria, Santa Maria, 97105-900, Brazil

[d] Graduate Program in Process and Technology Engineering, University of Caxias Do sul, Caxias do Sul, 95070-560, Brazil

[e] Universidad de la Costa, Department of Civil and Environmental Engineering, Barranquilla, Colombia

[f] Departamento de Inginiería Civil y Arquitectura, Universidad de Lima, Av. Javier Prado Este 4600, Santiago de Surco, 1503, Peru

Hide additional affiliations

Abstract

Author keywords

Reaxys Chemistry database information

Abstract

In this work, a high porous activated carbon from Jacaranda mimosifolia was developed and employed for ketoprofen adsorption. After the pyrolysis process at 973.15 K, the material presented cavities with different sizes allocated on the particle surface. The material presented a pH at the point of zero charge of 4.1 with the best adsorption at pH 2. The best adsorbent dosage was 0.72 g L-1, corresponding to a removal of 96%. The system reached the adsorption equilibrium after 120 min and was described by the linear driving force model. The isotherms revealed that the adsorption capacity decreased with the temperature and followed the Langmuir model, with a maximum adsorption capacity of 303.9 mg g-1. This high capacity can be associated with the high surface area (928 m2 g-1) and pore volume (0.521 cm3 g-1) values. The thermodynamic values indicated that the adsorption system is spontaneous and exothermic. The enthalpy value indicates that the interactions between the adsorbent and adsorbate are physical. Regeneration tests showed a decreasing percentage of removal of 7.86% after 5 cycles. Finally, the adsorbent showed efficiency when treating a simulated effluent containing drugs and inorganic salts, showing the removal of 71.43%. © 2021 Elsevier Ltd.

Author keywords

Activated carbon; Adsorption; Jacaranda mimosifolia; Ketoprofen

Reaxys Chemistry database information

Substances

View all substances (13)



View details



View details



View details



View details

Powered by Reaxys

References (77)

View in search results format >

All

Export Print E-mail Save to PDF Create bibliography

1 Zenker, A., Cicero, M.R., Prestinaci, F., Bottoni, P., Carere, M.

Bioaccumulation and biomagnification potential of pharmaceuticals with a focus to the aquatic environment

(2014) *Journal of Environmental Management*, 133, pp. 378-387. Cited 188 times.
http://www.elsevier.com/inca/publications/store/6/2/2/8/7/1/index.htt
doi: 10.1016/j.jenvman.2013.12.017

View at Publisher

2 Maldonado-Torres, S., Gurung, R., Rijal, H., Chan, A., Acharya, S., Rogelj, S., Piyasena, M., (...), Rubasinghege, G.

Fate, Transformation, and Toxicological Impacts of Pharmaceutical and Personal Care Products in Surface Waters (Open Access)

(2018) *Environmental Health Insights*, 12. Cited 8 times.
http://journals.sagepub.com/home/ehi
doi: 10.1177/1178630218795836

View at Publisher

3 Ebele, A.J., Abou-Elwafa Abdallah, M., Harrad, S.

Pharmaceuticals and personal care products (PPCPs) in the freshwater aquatic environment (Open Access)

(2017) *Emerging Contaminants*, 3 (1), pp. 1-16. Cited 592 times.
www.keaipublishing.com/en/journals/emerging-contaminants/
doi: 10.1016/j.emcon.2016.12.004

View at Publisher

4 Petrie, B., Barden, R., Kasprzyk-Hordern, B.

A review on emerging contaminants in wastewaters and the environment: Current knowledge, understudied areas and recommendations for future monitoring (Open Access)

(2015) *Water Research*, 72, pp. 3-27. Cited 1173 times.
www.elsevier.com/locate/watres
doi: 10.1016/j.watres.2014.08.053

View at Publisher

5 Ocampo-Pérez, R., Leyva-Ramos, R., Sanchez-Polo, M., Rivera-Utrilla, J.

Role of pore volume and surface diffusion in the adsorption of aromatic compounds on activated carbon

(2013) *Adsorption*, 19 (5), pp. 945-957. Cited 25 times.
doi: 10.1007/s10450-013-9502-y

View at Publisher

6 Quesada, H.B., Baptista, A.T.A., Cusioli, L.F., Seibert, D., de Oliveira Bezerra, C., Bergamasco, R.

Surface water pollution by pharmaceuticals and an alternative of removal by low-cost adsorbents: A review

(2019) *Chemosphere*, 222, pp. 766-780. Cited 119 times.
www.elsevier.com/locate/chemosphere
doi: 10.1016/j.chemosphere.2019.02.009

View at Publisher

7 Sousa, J.C.G., Ribeiro, A.R., Barbosa, M.O., Pereira, M.F.R., Silva, A.M.T.

A review on environmental monitoring of water organic pollutants identified by EU guidelines

(2018) *Journal of Hazardous Materials*, 344, pp. 146-162. Cited 283 times.
www.elsevier.com/locate/jhazmat
doi: 10.1016/j.jhazmat.2017.09.058

View at Publisher

8 Gros, M., Petrović, M., Ginebreda, A., Barceló, D.

Removal of pharmaceuticals during wastewater treatment and environmental risk assessment using hazard indexes

(2010) *Environment International*, 36 (1), pp. 15-26. Cited 599 times.
www.elsevier.com/locate/envint
doi: 10.1016/j.envint.2009.09.002

View at Publisher

9 Smiljanić, D., de Gennaro, B., Izzo, F., Langella, A., Daković, A., Germinario, C., Rottinghaus, G.E., (...), Mercurio, M.

Removal of emerging contaminants from water by zeolite-rich composites: A first approach aiming at diclofenac and ketoprofen

(2020) *Microporous and Mesoporous Materials*, 298, art. no. 110057. Cited 11 times.
www.elsevier.com/inca/publications/store/6/0/0/7/6/0
doi: 10.1016/j.micromeso.2020.110057

View at Publisher

10 Foletto, E.L., Weber, C.T., Paz, D.S., Mazutti, M.A., Meili, L., Bassaco, M.M., Collazzo, G.C.

Adsorption of leather dye onto activated carbon prepared from bottle gourd: Equilibrium, kinetic and mechanism studies

(2013) *Water Science and Technology*, 67 (1), pp. 201-209. Cited 23 times.
http://www.iwaponline.com/wst/06701/0201/067010201.pdf
doi: 10.2166/wst.2012.555

View at Publisher

11 Linhares, B., Weber, C.T., Foletto, E.L., Paz, D.S., Mazutti, M.A., Collazzo, G.C.

Activated carbon prepared from yerba mate used as a novel adsorbent for removal of tannery dye from aqueous solution

(2013) *Environmental Technology (United Kingdom)*, 34 (16), pp. 2401-2406. Cited 13 times.
http://www.tandf.co.uk/journals/titles/09593330.asp
doi: 10.1080/09593330.2013.770562

View at Publisher

12 Rai, P., Singh, K.P.

Valorization of Poly (ethylene) terephthalate (PET) wastes into magnetic carbon for adsorption of antibiotic from water: Characterization and application

(2018) *Journal of Environmental Management*, 207, pp. 249-261. Cited 24 times.
http://www.elsevier.com/inca/publications/store/6/2/2/8/7/1/index.htt
doi: 10.1016/j.jenvman.2017.11.047

View at Publisher

13 Han, Z., Sani, B., Mrozik, W., Obst, M., Beckingham, B., Karapanagioti, H.K., Werner, D.

Magnetite impregnation effects on the sorbent properties of activated carbons and biochars

(2015) *Water Research*, 70, pp. 394-403. Cited 95 times.
www.elsevier.com/locate/watres
doi: 10.1016/j.watres.2014.12.016

View at Publisher

14 Dotto, G.L., McKay, G.

Current scenario and challenges in adsorption for water treatment

(2020) *Journal of Environmental Chemical Engineering*, 8 (4), art. no. 103988. Cited 41 times.
http://www.journals.elsevier.com/journal-of-environmental-chemical-engineering/
doi: 10.1016/j.jece.2020.103988

View at Publisher

15 Yokoyama, J.T.C., Cazetta, A.L., Bedin, K.C., Spessato, L., Fonseca, J.M., Carraro, P.S., Ronix, A., (...), Almeida, V.C.

Stevia residue as new precursor of CO_2 -activated carbon: Optimization of preparation condition and adsorption study of triclosan

(2019) *Ecotoxicology and Environmental Safety*, 172, pp. 403-410. Cited 16 times.
http://www.elsevier.com/inca/publications/store/6/2/2/8/1/9/index.htt
doi: 10.1016/j.ecoenv.2019.01.096

View at Publisher

16 Henrique, D.C., Quintela, D.U., Ide, A.H., Erto, A., Duarte, J.L.D.S., Meili, L.

Calcined Mytella falcata shells as alternative adsorbent for efficient removal of rifampicin antibiotic from aqueous solutions

(2020) *Journal of Environmental Chemical Engineering*, 8 (3), art. no. 103782. Cited 4 times.
http://www.journals.elsevier.com/journal-of-environmental-chemical-engineering/
doi: 10.1016/j.jece.2020.103782

View at Publisher

17 de Oliveira Carvalho, C., Costa Rodrigues, D.L., Lima, É.C., Santanna Umpierres, C., Caicedo Chaguezac, D.F., Machado Machado, F.

Kinetic, equilibrium, and thermodynamic studies on the adsorption of ciprofloxacin by activated carbon produced from Jerivá (Syagrus romanzoffiana)

(2019) *Environmental Science and Pollution Research*, 26 (5), pp. 4690-4702. Cited 28 times.
http://www.springerlink.com/content/0944-1344
doi: 10.1007/s11356-018-3954-2

View at Publisher

18 Peñafiel, M.E., Matesanz, J.M., Vanegas, E., Bermejo, D., Mosteo, R., Ormad, M.P.

Comparative adsorption of ciprofloxacin on sugarcane bagasse from Ecuador and on commercial powdered activated carbon

(2021) *Science of the Total Environment*, 750, art. no. 141498. Cited 4 times.
www.elsevier.com/locate/scitotenv
doi: 10.1016/j.scitotenv.2020.141498

View at Publisher

19 Nourmoradi, H., Moghadam, K.F., Jafari, A., Kamarehie, B.

Removal of acetaminophen and ibuprofen from aqueous solutions by activated carbon derived from Quercus Brantii (Oak) acorn as a low-cost biosorbent

(2018) *Journal of Environmental Chemical Engineering*, 6 (6), pp. 6807-6815. Cited 44 times.
http://www.journals.elsevier.com/journal-of-environmental-chemical-engineering/
doi: 10.1016/j.jece.2018.10.047

View at Publisher

20 Gachet, M.S., Schühly, W.

Jacaranda-An ethnopharmacological and phytochemical review

(2009) *Journal of Ethnopharmacology*, 121 (1), pp. 14-27. Cited 45 times.
doi: 10.1016/j.jep.2008.10.015

View at Publisher

21 Treviño-Cordero, H., Juárez-Aguilar, L.G., Mendoza-Castillo, D.I., Hernández-Montoya, V., Bonilla-Petriciolet, A., Montes-Morán, M.A.

Synthesis and adsorption properties of activated carbons from biomass of Prunus domestica and Jacaranda mimosifolia for the removal of heavy metals and dyes from water

(2013) *Industrial Crops and Products*, 42 (1), pp. 315-323. Cited 111 times.
doi: 10.1016/j.indcrop.2012.05.029

View at Publisher

22 Mondal, N.K., Ghosh, P., Sen, K., Mondal, A., Debnath, P.

Efficacy of onion peel towards removal of nitrate from aqueous solution and field samples

(2019) *Environmental Nanotechnology, Monitoring and Management*, 11, art. no. 100222. Cited 4 times.
http://www.journals.elsevier.com/environmental-nanotechnology-monitoring-and-management/
doi: 10.1016/j.enmm.2019.100222

View at Publisher

23 Lagergren, S.Y.
(1898) *Zur Theorie der sogenannten Adsorption*. Cited 3 times.
http://books2ebooks.eu/odm/html/nls/en/agb.html

24 Freundlich, H.
Über die Adsorption in Lösungen
(1907) *Z. Phys. Chem.*, 57 U. Cited 12038 times.

25 Dubinin, M.M., Astakhov, V.A.
Development of the concepts of volume filling of micropores in the adsorption of gases and vapors by microporous adsorbents - Communication 1. Carbon adsorbents

(1971) *Bulletin of the Academy of Sciences of the USSR Division of Chemical Science*, 20 (1), pp. 3-7. Cited 113 times.
doi: 10.1007/BF00849307

View at Publisher

26 Temkin, M., Pyzhev, V.
Kinetics of the synthesis of ammonia on promoted iron catalysts
(1939) *J. Phys. Chem.*, 13, pp. 851-867. Cited 107 times.

27 Langmuir, I.
The adsorption of gases on plane surfaces of glass, mica and platinum (Open Access)

(1918) *Journal of the American Chemical Society*, 40 (9), pp. 1361-1403. Cited 14585 times.
doi: 10.1021/ja02242a004

View at Publisher

28 Lima, E.C., Hosseini-Bandegharaei, A., Moreno-Piraján, J.C., Anastopoulos, I.
A critical review of the estimation of the thermodynamic parameters on adsorption equilibria. Wrong use of equilibrium constant in the Van't Hoof equation for calculation of thermodynamic parameters of adsorption

(2019) *Journal of Molecular Liquids*, 273, pp. 425-434. Cited 374 times.
https://www.journals.elsevier.com/journal-of-molecular-liquids
doi: 10.1016/j.molliq.2018.10.048

View at Publisher

29 Wang, X., Gu, L., Zhou, P., Zhu, N., Li, C., Tao, H., Wen, H., (...), Zhang, D.
Pyrolytic temperature dependent conversion of sewage sludge to carbon catalyst and their performance in persulfate degradation of 2-Naphthol

(2017) *Chemical Engineering Journal*, 324, pp. 203-215. Cited 38 times.
www.elsevier.com/inca/publications/store/6/0/1/2/7/3/index.htt
doi: 10.1016/j.cej.2017.04.101

View at Publisher

30 Üner, O.

Hydrogen storage capacity and methylene blue adsorption performance of activated carbon produced from Arundo donax

(2019) *Materials Chemistry and Physics*, 237, art. no. 121858. Cited 29 times.
http://www.journals.elsevier.com/materials-chemistry-and-physics
doi: 10.1016/j.matchemphys.2019.121858

View at Publisher

31 Zazycki, M.A., Godinho, M., Perondi, D., Foletto, E.L., Collazzo, G.C., Dotto, G.L.

New biochar from pecan nutshells as an alternative adsorbent for removing reactive red 141 from aqueous solutions

(2018) *Journal of Cleaner Production*, 171, pp. 57-65. Cited 84 times.
doi: 10.1016/j.jclepro.2017.10.007

View at Publisher

32 Sun, S., Yu, Q., Li, M., Zhao, H., Wu, C.

Preparation of coffee-shell activated carbon and its application for water vapor adsorption

(2019) *Renewable Energy*, 142, pp. 11-19. Cited 21 times.
http://www.journals.elsevier.com/renewable-and-sustainable-energy-reviews/
doi: 10.1016/j.renene.2019.04.097

View at Publisher

33 Li, X., Deng, S., Fu, H.

Inhibition of the corrosion of steel in HCl, H_2SO_4 solutions by bamboo leaf extract

(2012) *Corrosion Science*, 62, pp. 163-175. Cited 223 times.
doi: 10.1016/j.corsci.2012.05.008

View at Publisher

34 Spessato, L., Bedin, K.C., Cazetta, A.L., Souza, I.P.A.F., Duarte, V.A., Crespo, L.H.S., Silva, M.C., (...), Almeida, V.C.

KOH-super activated carbon from biomass waste: Insights into the paracetamol adsorption mechanism and thermal regeneration cycles

(2019) *Journal of Hazardous Materials*, 371, pp. 499-505. Cited 47 times.
www.elsevier.com/locate/jhazmat
doi: 10.1016/j.jhazmat.2019.02.102

View at Publisher

35 Boonamnuayvitaya, V., Sae-Ung, S., Tanthapanichakoon, W.

Preparation of activated carbons from coffee residue for the adsorption of formaldehyde

(2005) *Separation and Purification Technology*, 42 (2), pp. 159-168. Cited 223 times.
doi: 10.1016/j.seppur.2004.07.007

View at Publisher

36 Silverstein, K.J.D., Webster, R.M., Fx, X.
(2005) *Spectrometric Identification of Organic Compounds*. Cited 17294 times.
7th ed. John Wiley & Sons Inc, USA

37 El-Hendawy, A.-N.A.

Variation in the FTIR spectra of a biomass under impregnation, carbonization and oxidation conditions

(2006) *Journal of Analytical and Applied Pyrolysis*, 75 (2), pp. 159-166. Cited 222 times.
doi: 10.1016/j.jaap.2005.05.004

View at Publisher

38 Nanda, S., Mohanty, P., Pant, K.K., Naik, S., Kozinski, J.A., Dalai, A.K.

Characterization of North American Lignocellulosic Biomass and Biochars in Terms of their Candidacy for Alternate Renewable Fuels

(2013) *Bioenergy Research*, 6 (2), pp. 663-677. Cited 175 times.
doi: 10.1007/s12155-012-9281-4

View at Publisher

39 Xiao, T., Yuan, H., Ma, Q., Guo, X., Wu, Y.

An approach for in situ qualitative and quantitative analysis of moisture adsorption in nanogram-scaled lignin by using micro-FTIR spectroscopy and partial least squares regression

(2019) *International Journal of Biological Macromolecules*, 132, pp. 1106-1111. Cited 6 times.
www.elsevier.com/locate/ijbiomac
doi: 10.1016/j.ijbiomac.2019.04.043

View at Publisher

40 Niazi, L., Lashanizadegan, A., Sharififard, H.

Chestnut oak shells activated carbon: Preparation, characterization and application for Cr (VI) removal from dilute aqueous solutions

(2018) *Journal of Cleaner Production*, 185, pp. 554-561. Cited 88 times.
doi: 10.1016/j.jclepro.2018.03.026

View at Publisher

41 Sen, T.K., Afroze, S., Ang, H.M.

Equilibrium, kinetics and mechanism of removal of methylene blue from aqueous solution by adsorption onto pine cone biomass of Pinus radiata

(2011) *Water, Air, and Soil Pollution*, 218 (1-4), pp. 499-515. Cited 251 times.
doi: 10.1007/s11270-010-0663-y

View at Publisher

42 Hamed, M.M., Ali, M.M.S., Holiel, M.

Preparation of activated carbon from doum stone and its application on adsorption of ^{60}Co and $^{152+154}$Eu: Equilibrium, kinetic and thermodynamic studies

(2016) *Journal of Environmental Radioactivity*, 164, pp. 113-124. Cited 37 times.
www.elsevier.com/locate/jenvrad
doi: 10.1016/j.jenvrad.2016.07.005

View at Publisher

43 Munusamy, K., Somani, R.S., Bajaj, H.C.

Breakthrough adsorption studies of mixed gases on mango (Mangifera indicaL.) seed shell derived activated carbon extrudes

(2015) *Journal of Environmental Chemical Engineering*, Part A 3 (4), pp. 2750-2759. Cited 17 times.
http://www.journals.elsevier.com/journal-of-environmental-chemical-engineering/
doi: 10.1016/j.jece.2015.05.010

View at Publisher

44 Georgin, J., Dotto, G.L., Mazutti, M.A., Foletto, E.L.

Preparation of activated carbon from peanut shell by conventional pyrolysis and microwave irradiation-pyrolysis to remove organic dyes from aqueous solutions

(2016) *Journal of Environmental Chemical Engineering*, 4 (1), pp. 266-275. Cited 106 times.
http://www.journals.elsevier.com/journal-of-environmental-chemical-engineering/
doi: 10.1016/j.jece.2015.11.018

View at Publisher

45 Sharma, R., Sarswat, A., Pittman, C.U., Mohan, D.

Cadmium and lead remediation using magnetic and non-magnetic sustainable biosorbents derived from Bauhinia purpurea pods (Open Access)

(2017) *RSC Advances*, 7 (14), pp. 8606-8624. Cited 25 times.
http://pubs.rsc.org/en/journals/journalissues
doi: 10.1039/C6RA25295H

View at Publisher

46 Vassilev, S.V., Baxter, D., Andersen, L.K., Vassileva, C.G., Morgan, T.J.

An overview of the organic and inorganic phase composition of biomass

(2012) *Fuel*, 94, pp. 1-33. Cited 508 times.
doi: 10.1016/j.fuel.2011.09.030

View at Publisher

47 Ros, A., Montes-Moran, M.A., Fuente, E., Nevskaia, D.M., Martin, M.J.

Dried sludges and sludge-based chars for H_2S removal at low temperature: Influence of sewage sludge characteristics

(2006) *Environmental Science and Technology*, 40 (1), pp. 302-309. Cited 109 times.
doi: 10.1021/es050996j

View at Publisher

48 Crini, G., Badot, P.-M.

Application of chitosan, a natural aminopolysaccharide, for dye removal from aqueous solutions by adsorption processes using batch studies: A review of recent literature

(2008) *Progress in Polymer Science (Oxford)*, 33 (4), pp. 399-447. Cited 1560 times.
doi: 10.1016/j.progpolymsci.2007.11.001

View at Publisher

49 Cheng, J., Gu, J.-J., Tao, W., Wang, P., Liu, L., Wang, C.-Y., Li, Y.-K., (...), Cao, F.-F.

Edible fungus slag derived nitrogen-doped hierarchical porous carbon as a high-performance adsorbent for rapid removal of organic pollutants from water

(2019) *Bioresource Technology*, 294, art. no. 122149. Cited 11 times.
www.elsevier.com/locate/biortech
doi: 10.1016/j.biortech.2019.122149

View at Publisher

50 Puchana-Rosero, M.J., Adebayo, M.A., Lima, E.C., Machado, F.M., Thue, P.S., Vaghetti, J.C.P., Umpierres, C.S., (...), Gutterres, M.

Microwave-assisted activated carbon obtained from the sludge of tannery-treatment effluent plant for removal of leather dyes

(2016) *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 504, pp. 105-115. Cited 77 times.
www.elsevier.com/locate/colsurfa
doi: 10.1016/j.colsurfa.2016.05.059

View at Publisher

51 Ribas, M.C., Adebayo, M.A., Prola, L.D.T., Lima, E.C., Cataluña, R., Feris, L.A., Puchana-Rosero, M.J., (...), Calvete, T.

Comparison of a homemade cocoa shell activated carbon with commercial activated carbon for the removal of reactive violet 5 dye from aqueous solutions

(2014) *Chemical Engineering Journal*, 248, pp. 315-326. Cited 114 times.
www.elsevier.com/inca/publications/store/6/0/1/2/7/3/index.htt
doi: 10.1016/j.cej.2014.03.054

View at Publisher

52 Streit, A.F.M., Collazzo, G.C., Druzian, S.P., Verdi, R.S., Foletto, E.L., Oliveira, L.F.S., Dotto, G.L.

Adsorption of ibuprofen, ketoprofen, and paracetamol onto activated carbon prepared from effluent treatment plant sludge of the beverage industry (Open Access)

(2021) *Chemosphere*, 262, art. no. 128322. Cited 14 times.
www.elsevier.com/locate/chemosphere
doi: 10.1016/j.chemosphere.2020.128322

View at Publisher

53 Thommes, M., Kaneko, K., Neimark, A.V., Olivier, J.P., Rodriguez-Reinoso, F., Rouquerol, J., Sing, K.S.W.

Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report)

(2015) *Pure and Applied Chemistry*, 87 (9-10), pp. 1051-1069. Cited 5466 times.
http://www.degruyter.com/view/j/pac
doi: 10.1515/pac-2014-1117

View at Publisher

54 Zhang, Y., Shao, D., Yan, J., Jia, X., Li, Y., Yu, P., Zhang, T.
The pore size distribution and its relationship with shale gas capacity in organic-rich mudstone of Wufeng-Longmaxi Formations, Sichuan Basin, China
(2016) *J. Nat. Gas. Geosci.*, 1, pp. 213-220. Cited 46 times.

55 Guo, D., Li, Y., Cui, B., Hu, M., Luo, S., Ji, B., Liu, Y.
Natural adsorption of methylene blue by waste fallen leaves of Magnoliaceae and its repeated thermal regeneration for reuse

(2020) *Journal of Cleaner Production*, 267, art. no. 121903. Cited 11 times.
https://www.journals.elsevier.com/journal-of-cleaner-production
doi: 10.1016/j.jclepro.2020.121903

View at Publisher

56 Li, S., Han, K., Li, J., Li, M., Lu, C.
Preparation and characterization of super activated carbon produced from gulfweed by KOH activation

(2017) *Microporous and Mesoporous Materials*, 243, pp. 291-300. Cited 121 times.
www.elsevier.com/inca/publications/store/6/0/0/7/6/0
doi: 10.1016/j.micromeso.2017.02.052

View at Publisher

57 Dong, R., Chen, D., Li, N., Xu, Q., Li, H., He, J., Lu, J.
Removal of phenol from aqueous solution using acid-modified Pseudomonas putida-sepiolite/ZIF-8 bio-nanocomposites

(2020) *Chemosphere*, 239, art. no. 124708. Cited 10 times.
www.elsevier.com/locate/chemosphere
doi: 10.1016/j.chemosphere.2019.124708

View at Publisher

58 Essandoh, M., Wolgemuth, D., Pittman, C.U., Mohan, D., Mlsna, T.
Phenoxy herbicide removal from aqueous solutions using fast pyrolysis switchgrass biochar

(2017) *Chemosphere*, 174, pp. 49-57. Cited 50 times.
www.elsevier.com/locate/chemosphere
doi: 10.1016/j.chemosphere.2017.01.105

View at Publisher

59 Galhetas, M., Mestre, A.S., Pinto, M.L., Gulyurtlu, I., Lopes, H., Carvalho, A.P.
Carbon-based materials prepared from pine gasification residues for acetaminophen adsorption (Open Access)

(2014) *Chemical Engineering Journal*, 240, pp. 344-351. Cited 48 times.
www.elsevier.com/inca/publications/store/6/0/1/2/7/3/index.htt
doi: 10.1016/j.cej.2013.11.067

View at Publisher

60 Ali, I., Al-Othman, Z.A., Alwarthan, A., Asim, M., Khan, T.A.
Removal of arsenic species from water by batch and column operations on bagasse fly ash

(2014) *Environmental Science and Pollution Research*, 21 (5), pp. 3218-3229. Cited 157 times.
doi: 10.1007/s11356-013-2235-3

View at Publisher

61 Worch, E.
Adsorption technology in water treatment: Fundamentals, processes, and modeling
(2012) *Adsorpt. Technol. Water Treat.: Fundam. Process. Model.*. Cited 369 times.

62 Suzuki, M.
(1990) *Adsorption Engineering*. Cited 874 times.
1st ed. Elsevier

63 Umpierres, C.S., Thue, P.S., Lima, E.C., Reis, G.S.D., de Brum, I.A.S., Alencar, W.S.D., Dias, S.L.P., (...), Dotto, G.L.

Microwave-activated carbons from tucumã (Astrocaryum aculeatum) seed for efficient removal of 2-nitrophenol from aqueous solutions

(2018) *Environmental Technology (United Kingdom)*, 39 (9), pp. 1173-1187. Cited 53 times.
http://www.tandf.co.uk/journals/titles/09593330.asp
doi: 10.1080/09593330.2017.1323957

View at Publisher

64 Machado, F.M., Carmalin, S.A., Lima, E.C., Dias, S.L.P., Prola, L.D.T., Saucier, C., Jauris, I.M., (...), Fagan, S.B.

Adsorption of Alizarin Red S Dye by Carbon Nanotubes: An Experimental and Theoretical Investigation (Open Access)

(2016) *Journal of Physical Chemistry C*, 120 (32), pp. 18296-18306. Cited 54 times.
http://pubs.acs.org/journal/jpccck
doi: 10.1021/acs.jpcc.6b03884

View at Publisher

65 Yagub, M.T., Sen, T.K., Afroze, S., Ang, H.M.

Dye and its removal from aqueous solution by adsorption: A review

(2014) *Advances in Colloid and Interface Science*, 209, pp. 172-184. Cited 1867 times.
doi: 10.1016/j.cis.2014.04.002

View at Publisher

66 Sellaoui, L., Franco, D.S.P., Dotto, G.L., Lima, É.C., Lamine, A.B.

Single and binary adsorption of cobalt and methylene blue on modified chitin: Application of the Hill and exclusive extended Hill models

(2017) *Journal of Molecular Liquids*, 233, pp. 543-550. Cited 30 times.
doi: 10.1016/j.molliq.2016.10.079

View at Publisher

67 Fröhlich, A.C., Foletto, E.L., Dotto, G.L.

Preparation and characterization of $NiFe_2O_4$/activated carbon composite as potential magnetic adsorbent for removal of ibuprofen and ketoprofen pharmaceuticals from aqueous solutions

(2019) *Journal of Cleaner Production*, 229, pp. 828-837. Cited 36 times.
https://www.journals.elsevier.com/journal-of-cleaner-production
doi: 10.1016/j.jclepro.2019.05.037

View at Publisher

68 Yao, N., Li, C., Yu, J., Xu, Q., Wei, S., Tian, Z., Yang, Z., (...), Shen, J.

Insight into adsorption of combined antibiotic-heavy metal contaminants on graphene oxide in water

(2020) *Separation and Purification Technology*, 236, art. no. 116278. Cited 25 times.
http://www.journals.elsevier.com/separation-and-purification-technology/
doi: 10.1016/j.seppur.2019.116278

View at Publisher

69 Gómez-Avilés, A., Sellaoui, L., Badawi, M., Bonilla-Petriciolet, A., Bedia, J., Belver, C.

Simultaneous adsorption of acetaminophen, diclofenac and tetracycline by organo-sepiolite: Experiments and statistical physics modelling

(2021) *Chemical Engineering Journal*, 404, art. no. 126601. Cited 6 times.
www.elsevier.com/inca/publications/store/6/0/1/2/7/3/index.htt
doi: 10.1016/j.cej.2020.126601

View at Publisher

70 Cuerda-Correa, E.M., Domínguez-Vargas, J.R., Olivares-Marín, F.J., de Heredia, J.B.

On the use of carbon blacks as potential low-cost adsorbents for the removal of non-steroidal anti-inflammatory drugs from river water

(2010) *Journal of Hazardous Materials*, 177 (1-3), pp. 1046-1053. Cited 76 times.
doi: 10.1016/j.jhazmat.2010.01.026

View at Publisher

71 Gao, Y., Deshusses, M.A.

Adsorption of clofibric acid and ketoprofen onto powdered activated carbon: Effect of natural organic matter

(2011) *Environmental Technology*, 32 (15), pp. 1719-1727. Cited 32 times.
http://www.tandf.co.uk/journals/titles/09593330.asp
doi: 10.1080/09593330.2011.554888

View at Publisher

72 Baccar, R., Sarrà, M., Bouzid, J., Feki, M., Blánquez, P.

Removal of pharmaceutical compounds by activated carbon prepared from agricultural by-product

(2012) *Chemical Engineering Journal*, 211-212, pp. 310-317. Cited 268 times.
doi: 10.1016/j.cej.2012.09.099

View at Publisher

73 Liu, F.-F., Zhao, J., Wang, S., Du, P., Xing, B.

Effects of solution chemistry on adsorption of selected pharmaceuticals and personal care products (PPCPs) by graphenes and carbon nanotubes

(2014) *Environmental Science and Technology*, 48 (22), pp. 13197-13206. Cited 153 times.
http://pubs.acs.org/journal/esthag
doi: 10.1021/es5034684

View at Publisher

74 Ali, I., Al-Othman, Z.A., Alwarthan, A.

Synthesis of composite iron nano adsorbent and removal of ibuprofen drug residue from water

(2016) *Journal of Molecular Liquids*, 219, pp. 858-864. Cited 151 times.
doi: 10.1016/j.molliq.2016.04.031

View at Publisher

75 Salomón, Y.L.D.O., Georgin, J., Franco, D.S.P., Netto, M.S., Piccilli, D.G.A., Foletto, E.L., Oliveira, L.F.S., (...), Dotto, G.L.

High-performance removal of 2,4-dichlorophenoxyacetic acid herbicide in water using activated carbon derived from Queen palm fruit endocarp (Syagrus romanzoffiana)

(2021) *Journal of Environmental Chemical Engineering*, 9 (1), art. no. 104911. Cited 3 times.
http://www.journals.elsevier.com/journal-of-environmental-chemical-engineering/
doi: 10.1016/j.jece.2020.104911

View at Publisher

76 Liu, W., Yang, Q., Yang, Z., Wang, W.

Adsorption of 2,4-D on magnetic graphene and mechanism study

(2016) *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 509, pp. 367-375. Cited 30 times.
www.elsevier.com/locate/colsurfa
doi: 10.1016/j.colsurfa.2016.09.039

View at Publisher

77 Lu, Y., Li, Y., Gao, Y., Ai, B., Gao, W., Peng, G.

Facile preparation of 3D GO with caffeic acid for efficient adsorption of norfloxacin and ketoprofen (Open Access)

(2020) *Water Science and Technology*, 81 (7), pp. 1461-1470. Cited 2 times.
https://watermark.silverchair.com/wst081071461.pdf?
doi: 10.2166/wst.2020.193

View at Publisher

Dotto, G.L.; Graduate Program in Chemical Engineering, Federal University of Santa Maria, Santa Maria, Brazil; email:guilherme_dotto@yahoo.com.br
Silva, L.F.O.; Universidad de la Costa, Department of Civil and Environmental Engineering, Barranquilla, Colombia; email:lsilva8@cuc.edu.co